

10/17/00

10/17/00

10/17/00

10/18/00

A

10/17/00

10/17/00

10/17/00

10/17/00

10/17/00

DAVID S. WORONOFF
19 OLD TOWN SQUARE, SUITE 238
FORT COLLINS, CO 80524

DOCKET NO.: joey060100p

PATENT APPLICATION

IN THE U.S. PATENT AND TRADEMARK OFFICE
NONPROVISIONAL PATENT Application Cover Sheet

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir: This a request for filing a NONPROVISIONAL APPL1CATION under 37 CFR 1.53(b).

INVENTOR(s) APPLICANT(s)
Last Name First Name Middle Initial Residence (City and Either State or Foreign Country)

Rothman Joey Greeley, Colorado

Additional inventors are being named on separately numbered sheets attached:none

TITLE OF THE INVENTION: OUTDOOR SPECTATOR COVER

CORRESPONDENCE ADDRESS:
DAVID S. WORONOFF
500 Castle Mountain Road
Livermore, CO 80536

DOCKET NO.:joey100600np

ENCLOSED APPL1CATION PARTS (check all that apply)

(X) Specification Number of Pages: 10
(X) Drawing(s) Number of Pages: 3
Other (specify) APPENDIX A

METHOD OF PAYMENT: (X) Attached is a check for \$ 355.00

Express Mail NO: EL548279733US

Date of Deposit: October 6, 2000

I hereby certify that the above is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service pursuant to 37 .C.F.R. 1.10 on the date shown above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231

DAVID S. WORONOFF
02-19-98REV1

Respectfully submitted:
DAVID S. WORONOFF 22673
500 Castle Mt. Rd.
Livermore, CO 80536
970-472-1776
DATE: October 6, 2000

PATENT APPLICATION OF JOEY ROTHMAN- 11

1
2 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

3 APPLICANT: JOEY ROTHMAN SERIAL NO.:

4 FILED: OCTOBER 16, 2000

GROUP:

5
6 TITLE: OUTDOOR SPECTATOR COVER

7 DECLARATION BY INDEPENDENT INVENTOR

8 CLAIMING SMALL ENTITY STATUS

9 I hereby declare that I qualify as an independent inventor as defined
10 in 37 C.F.R. 1.9(c) for the purpose of paying reduced fees under section
11 41(a) and (b) of Title 35, United States Code, with regard to the invention
described in the heading above or the specification filed herewith, as the
case may be.

12 I have not assigned, granted, conveyed or licensed, and am under no
13 obligation under contract or law to assign, grant, convey, or license any
14 rights in the invention to any person who could not be classified as an
independent inventor under 37 C.F.R. 1.9(d), or to any concern which would
not qualify as a small business concern under 37 C.F.R. 1.9(d) or a nonprofit
corporation under 37 C.F.R. 1.9(e).

15 Each person, concern or organization to which I have assigned, granted,
16 conveyed or licensed, or am under an obligation under contract or law to
assign, grant, convey, or license any rights in the invention is listed
below: NONE

17 I acknowledge the duty to file in this application or patent
18 notification of any change in status resulting in loss of entitlement to
small entity status prior to paying, or at the time of paying, the earliest
of the issue fee due or any maintenance fee due after the date on which
status as a small entity is no longer appropriate.

19 I hereby declare that all statements made herein of my own knowledge
20 are true and that all statements made on information and belief are believed
21 to be true; and further that these statements were made with knowledge that
willful false statements and the like so made are punishable by fine or
22 imprisonment, or both, under Section 1001 of Title 18 of the United States
Code, and that such willful false statements may jeopardize the validity of
the application or any patent issued thereon.

23 Signature: Joey Rothman Date: October, 16, 2000.

24 Post Office Address: 6516 26th Street, Greeley, CO 80634

1 OUTDOOR SPECTATOR COVER

2 *Background of the Invention*

3 The present invention relates to the invention of a novel
4 cover which encloses the lower portion of the body of a person
5 who is exposed to the cold and sometimes wet conditions which
6 obtain at sporting events such as football or soccer games or
7 any other outdoor activity. The present application claims
8 priority based upon provisional patent application 60/209404, D
9 filed JUNE 1, 2000 by the same inventor as this application.

10 *Field of the Invention*

11 The present invention relates to the field of protective
12 devices or garments primarily intended for use by spectators at
13 sporting events. Many of such sporting events are presented in
14 large stadiums designed to hold tens of thousands of people on
15 floor and seats of concrete, metal, wood, or other hard heat
16 conducting surfaces. In many such outdoor stadiums, the stadium
17 receives heavy snow or rain or both and the depth of moisture in
18 the stadium is often more than six inches. For this reason,
19 waterproofing to at least that depth is exceedingly important
20 for a spectator cover.

21 *Description of the Prior Art*

22 The closest prior art known to the applicant is shown in
23 U.S. patents 5,283,909 and 3,597,764 and 2,242,130. None of
24 these patents shows either the physical structure or the
25 function taught by the present invention. In particular no
known structure for such a personal cover shows the combination
of flexibility, warmth, and waterproof qualities necessary for

1 the active spectator. The bottom of the cover on which the feet
2 of the spectator rest must be flexible for the spectator to
3 remain properly balanced while moving, stomping and cheering yet
4 dry and warm. The present invention meets all of these
5 objectives. The present invention permits the spectator who is
6 wearing the cover to retain a tactile sense of the surface on
7 which he or she is standing through the very thin bottom surface
8 of the cover which is highly flexible yet waterproof.

9 *Summary of the Invention*

10 The present invention teaches, in two embodiments, novel
11 spectator covers, generally made of a soft flexible, insulated,
12 waterproof or water resistant material. The present inventive
13 cover must retain sufficient flexibility to enable the user to
14 retain his or her balance in an environment where the spectator
15 is physically active in cheering and mobile enough to permit
16 other spectators to pass by him or her in moving across the row
17 of seats commonly found in a modern sports arena.

18 *Brief Description of the Drawings*

19 Figures 1 shows a front perspective view of one embodiment
20 of the present invention.

21 Figures 2 and 3 are front perspective views of the
22 embodiment shown in Figures 1 showing the upper and lower
23 portion of the present invention.

24 Figure 4 is a sectional view of the lower portion of the
25 present invention taken along the lines 4-4 shown in Figure 3.

1 Figure 5 is a partial perspective view of the upper portion
2 of the present invention showing a second embodiment of the
3 upper portion of the invention.

4 Figure 6 is front perspective view of the present invention
5 in its carrying cover forming part of the present invention.
6

7 *Description of the Preferred Embodiment*
8

9 Figure 1 is a perspective view of a first embodiment of the
10 present invention in which a novel cover 10 for a spectator at a
11 sporting or other outdoor event is shown. The cover has a
12 generally tubular or cylindrical shape open at one end and
13 closed at the other end and having about a twenty inch diameter
14 and an axial length of about forty-five inches. The lower
15 portion of the cylinder 15 is formed of a two-part multi-layer
16 material with a waterproof base of about twenty inches in
17 diameter and eight inches in axial length when finished. The
18 waterproof base has an inner insulated layer 44 as shown in
19 Figure 4. The outer layer 40 may be a vinyl or plastic and the
20 inner layer may be wool, cotton, or any other insulating
21 material. The lower portion of the base is formed from an
22 essentially flat circular member 16. The upper portion of the
23 base 14 is formed from a similar material as the lower portion
24 but shaped in a rectangular form such that when attached to the
25 base it forms a cylinder about eight inches in axial length and
about twenty inches in diameter closed at one end.

1 The upper portion of the bag 11 is formed of a wind and
2 water resistant material such a dense or tightly woven nylon
3 material for an outer layer 12. Upper portion 11 also has an
4 inner layer 13 of double sided fleece material of wool, cotton,
5 or other suitable fabric which is both soft and flexible.

6 The upper portion 11 of the bag is able to be opened along
7 the major part of its axial length to permit the user easy entry
8 to the bag as shown in Figure 2 and attached Appendix A inside
9 front cover which is hereby incorporated by reference into this
10 application. Along the axial portion of the bag on either side
11 of the opening are mating hook and loop fastening material 28
12 and 29 (although a zipper or other fastener could be substituted
13 for the hook and loop closure).

14 At the other end of the bag, away from the base 15 is
15 formed, usually by sewing, a runway 22 through which runs a cord
16 24 formed of polyester or nylon. The cord exists the runway
17 either at the ends thereof 21, 23 or through eyelits 123, 125
18 shown in Figure 5 formed in the runway at both ends. If the
19 eyelits 21, 23 are employed, the ends of the runway 22 are
20 closed as shown in Figure 5. The cord has a "barrel stop" 30 or
21 similar termination to prevent the cord from sliding into the
22 stitched runway.

23 A plurality of pockets 20 and 50 are attached to the bag.
24 One pocket 50 is inside the bag at the upper or waist level and
25 the other 20 on the outside of the bag at a level between one-
third to one-quarter the distance from the base of the bag.

1 Either or both pockets 20,50 may be closed by either a mating
2 hook and loop closure 54, 52 or any other suitable closing
3 structure.

4 The entire bag is able to be fitted in a carry bag 60, shown in Figure
5 6, cylindrical in shape, with a rimmed top 64 with a runway 66 which has an
6 opening 68 for a two cord shoulder strap 62 which acts as a closure for the
7 carry bag. A clasp 70 is attached to the carry bag to enable its attachment
8 to the bag while the bag is itself in use.

9 The embodiments of the present invention which have been
10 shown and described are illustrative of the main principles of
11 the invention but the following claims shall not be limited to
12 the embodiments shown. The claims are intended to cover and do
13 cover those variations of the invention which are apparent to
14 those skilled in the art.

15 *Claims*

16 I claim:

17 1. A cover for a spectator at sporting events comprising:

18 a first soft, flexible cylindrical upper member having an
19 inside and outside member in which the upper member is able to
20 be opened and closed to permit the insertion of the lower
21 portion of the body of the spectator;

22 the upper member outside member is formed of a wind and
23 water resistant material and the inside member formed of a heat
24 insulating material;

25 the upper member has near its upper end a runway member to
receive a closure member for closing the upper member tightly
about the body of the spectator;

1 a waterproof base member is attached to the first upper
2 member and is formed of a first circular portion and and a first
3 rectangular portion which are fixed together to form a very thin
4 bottom for the spectator cover;

5 the base portions are both formed in two layers, a first
6 waterproof layer and a second insulating layer, such that the
7 base member is sufficiently flexible and thin so that the
8 spectator can walk while wearing the cover without losing his or
9 her balance because the spectator does not lose the sense of
10 touch of the surface on which he or she is walking.

11 2. The spectator cover claimed in claim 1 wherein:

12 The upper member is open at the end opposite the base
13 member wherein the opening is closable by hook and loop fastener
14 members fixed on each side of the opening.

15 3. The spectator cover claimed in claim 1 wherein the base
16 member extends upwardly toward the open end of the cover about
17 one-fifth of the total length of the cover to provide a
18 waterproof cover of sufficient depth.

19 4. The spectator cover claimed in claim 1 including further a
20 carry bag member adapted to contain the spectator cover having a
21 closure means at the upper end of the carry bag and a hook for
22 attaching the carry bag to the spectator cover.

23 5. The spectator cover claimed in claim 1 wherein the base
24 member is waterproof to at least an eight inch depth.
25

1 runway at either end thereof. The cord has a "barrel stop" or
2 similar termination to prevent the cord from sliding into the
3 stitched runway.

4 A plurality of pockets are attached to the bag. One pocket is
5 inside the bag at the upper or waist level and the other on the
6 outside of the bag at a level between one-third to one-quarter
7 the distance from the base of the bag. Either or both pockets
8 may be closed by either a mating hook and loop closure or any
9 other suitable closing structure.

10 The entire bag is able to be fitted in a carry bag, cylindrical
11 in shape, with a rimmed top for a two cord shoulder strap which
12 acts as a closure for the carry bag. A clasp is attached to the
13 carry bag to enable its attachment to the bag while the bag is
14 itself in use.

This is a technical drawing of a pair of trousers, showing a front view. The drawing is annotated with various numbers and leader lines pointing to specific features:

- 10**: Points to the overall garment.
- 11**: Points to the waistband area.
- 12**: Points to the central fly.
- 14**: Points to the lower leg area.
- 15**: Points to the hem or bottom edge.
- 16**: Points to the side seam area.
- 20**: Points to a large pocket on the right side.
- 22**: Points to the drawstring waist.
- 24**: Points to the side seam area.
- 25**: Points to the side seam area.
- 28**: Points to the side seam area.
- 54**: Points to a pocket on the left side.

BAG-A-FAN

09690244-101700



Fig 6




Fig 5




Fig 2




Fig 3




Fig 4

1 DECLARATION FOR PATENT APPLICATION

2 As a below named inventor, I hereby declare:

3 My residence, post office address and citizenship are as stated below next to
4 my name.

5 I believe I am the original, first and sole inventor, if only one name is
6 listed below, or an original, first and joint inventor, if plural names are
7 listed below of the subject matter which is claimed and for which a patent is
8 sought on the invention entitled OUTDOOR SPECTATOR COVER, the specification
9 of which is attached hereto or was filed on: ATTACHED.

10 I hereby state that I have reviewed and understand the contents of the above
11 identified specification and claims, as amended by any amendment referred to
12 above.

13 I acknowledge my duty to disclose information which is material to the
14 examination of this application in accordance with 37 C.F.R. 1.56(a).

15 I hereby claim foreign priority benefits under 35 U.S.C. 119 of any foreign
16 application for patent or inventor's certificate listed below and I have also
17 identified below any foreign application for patent or inventor's certificate
18 having a filing date before that of the application on which priority is
19 based: NONE

20 I hereby claim the benefit under 35 U.S.C 120 of any United States patent
21 application listed below and, insofar as the subject matter of each of the
22 claims of this application is not disclosed in the prior United States patent
23 application in the manner provided by 35 U.S.C 112, first paragraph, I
24 acknowledge the duty to disclose material information as defined in 37 C.F.R.
25 1.56(a) which occurred between the filing date of the prior applications and
the national or PCT international filing date of this application: 60/209404,
FILED JUNE 1, 2000.

I hereby appoint DAVID S. WORONOFF, Reg. No. 22673, attorney to prosecute
this application and to transact all business in the Patent and Trademark
Office connected therewith.

Please address all correspondence to: DAVID S. WORONOFF, 500 CASTLE MOUNTAIN
ROAD, LIVERMORE, CO 80536. Please address all telephone calls to DAVID S.
WORONOFF AT (970) 472-1776.

I hereby declare that all statements made herein of my own knowledge are true
and that all statements made on information and belief are believed to be
true; and further that these statements were made with knowledge that willful
false statements and the like so made are punishable by fine or imprisonment,
or both, under Section 1001 of Title 18 of the United States Code, and that
such willful false statements may jeopardize the validity of the application
or any patent issued thereon.

Inventor's signature: Joey Rothman

Full name of sole or first inventor: JOEY ROTHMAN

Citizenship: U.S.A.; Residence: Greeley, Colorado

Post Office Address: 6516 26th Street, Greeley, CO 80634

Date: October 16, 2000.